OpenGov BD

A new Vendor Portal is coming soon Take a quick tour to see what's changing. Watch the tour

OPEN

Davison Rd MP 0.01 Bridge Rehabilitation

Last updated by Addendum #3 on Nov 9, 2026 3:01 PM

Public Works- Roads

96800

Project ID: CRP 2198

Release Date: Thursday, October 29, 2026

Due Date: Thursday, November 19, 2026 12:15pm

Posted Thursday, October 29, 2026 6:00am

All dates & times in Pacific Time - Los Angeles

Draft Response No Bid

Time Remaining: 9 days, 19 hours, 57 minutes

Question & Answer

Questions and clarifications about the project

1. Bridge As-Builts *Nov 2 2026 at 2:36 PM*

Anonymous *Nov 2 2026 at 2:36 PM*
User information is private

Can we get the bridge as-builts?

Nov 3 2026 at 2:43 PM
Lewis County

This question will be addressed by addendum

2. Bid Item 9 Testing and Disposal of Contaminated Waste *Nov 3 2026 at 9:31 AM*

Nov 3 2026 at 9:31 AM
Lewis County

Is this correct for Bid Item 9 TESTING AND DISPOSAL OF CONTAINMENT WASTE Cost $0.00 in the Proposal (Page 111) of the Specifications. Normally there's a dollar amount Of $200,000 Bid Item 9. TESTING AND DISPOSAL OF CONTAINMENT WASTE Cost $0.00

Nov 3 2026 at 9:32 AM
Lewis County
Bid in accordance with the Contract

3. Compliance with the HPA *Nov 3 2026 at 9:33 AM*

Nov 3 2026 at 9:33 AM
Lewis County
Question 2. How is compliance with the HPA No. 2024-5-52+01 from Washington Department of Fish and Wildlife being paid for?
Specifically, the conformance with:
HPA 8) Fish Removal and Screening
HPA 17) Install Coffer Dam
HPA 59) Seed all areas disturbed area by construction.

Nov 3 2026 at 9:34 AM
Lewis County
Bid in accordance with the Contract

4. Health and Safety Lead Health Protection Program Plan *Nov 3 2026 at 9:36 AM*

Nov 3 2026 at 9:36 AM
Lewis County
Question 3. Is the required 1-07.1(2) Health and Safety Lead Health Protection Program Plan part of the bid Proposal? It's missing from the proposal.

Nov 3 2026 at 9:37 AM
Lewis County
Refer to the Contract Documents-See Section 1-07.1(2).

5. Sheet S8 (12 of 18)--Batten Plates *Nov 5 2026 at 9:40 AM*

Nov 5 2026 at 9:40 AM
Lewis County
Sheet S8 includes a note to remove the bottom chord batten plates at the heat-strengthening locations. Please clarify whether batten plate removal is limited to the heat-strengthening locations or if all batten plates along the bottom chord are to be removed where they conflict with the new 1/2-inch bolster plates. If all conflicting batten plates are to be removed, please provide the required sequence for batten plate removal and bolster plate installation, including any limitations on the number or spacing of batten plates that may be removed at one time, to maintain structural stability of the bottom chord during construction.

Nov 5 2026 at 9:41 AM
Lewis County
This question will be addressed by addendum

6. S10 (14 of 18)--Lateral Bracing Connections--Field Welds or Bolts *Nov 5 2026 at 9:43 AM*

Nov 5 2026 at 9:43 AM
Lewis County
On the lateral bracing detailed on S10, the connection points indicate a field weld or bolt using existing holes at each location, along with a field weld symbol. Is the assumption that if the contractor elects to use a bolted connection, then the field weld symbol and welding would not be required?

Nov 5 2026 at 9:44 AM
Lewis County
This question will be addressed by addendum

7. Traffic Over Deck *Nov 4 2026 at 3:54 PM*

Anonymous *Nov 4 2026 at 3:54 PM*
User information is private
Will traffic be temporarily allowed on the new timber deck, prior to paving? Or will the contractor need to place the new timber deck, install waterproof membrane and pave within the same 24-hour bridge closure?

Nov 5 2026 at 10:07 AM
Lewis County
This question will be addressed by addendum

8. Timber Treatment *Nov 5 2026 at 3:43 PM*

Anonymous *Nov 5 2026 at 3:43 PM*
User information is private
S17, Note 3 states that all timber must be AZCA treated. Would the County accept other similar treated timber options such as Klear Gard 25 as an alternative?

Nov 6 2026 at 9:46 AM
Lewis County
Bid in Accordance with the Contract--See Section 6-04.5 and the Proposal.

9. Existing Gusset Plate to be Heat Straighten *Nov 9 2026 at 10:23 AM*

Anonymous *Nov 9 2026 at 10:23 AM*
User information is private
Plan sheet 7 note states
Replace Bracing and Heat Straighten Gusset Plate Attachment Points. Panels 3 through 6 (8 Total Braces, see S10).

S10 Detail A has a note that says 3/8" Gusset Plate to be Heat Straightened enough to allow for lateral bracing.

My question is between Panels 3 through 6 how many Gusset Plates will need to be heat straighten for the bracing replacement?

Nov 9 2026 at 4:03 PM
Lewis County
This question will be addressed by addendum